

Product: MULTI EPO

Code: SA01167 Version: 1.1 Revision: 06-February-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important! This document is a DRAFT; Some data could be modified during the industrialization of this

product.

1.1. Product identifier

Trade name or MULTI EP0

designation of the mixture

Registration number Synonyms None.
Product code SA01167

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNot available.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name CONDAT

Address 104 Avenue Frédéric Mistral - B.P. 16

38670 CHASSE-SUR-RHONE

FR

Division Products Regulatory Affairs Department

Telephone Tel.: 33 (0)4 78.07.38.38

Fax: 33 (0)4 78.07.38.00

e-mail arp@condat.fr

Contact person Products Regulatory Affairs Department

1.4. Emergency telephone

number

Emergency Tel. (Office hours): 33 (0) 4 78 07 37 18

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre +431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium Belgium

National Poisons Control

Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center $+45\ 82\ 12\ 12\ (Available\ 24\ hours\ a\ day.\ SDS/Product\ information\ may\ not\ be$

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)



Product: MULTI EPO

Code: SA01167 Version: 1.1 Revision: 06-February-2023

1.4. Emergency telephone number

France France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison Information

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Suisse

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture is not classified as hazardous according to the criteria for classification of the Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.



Product: **MULTI EPO**

Code: SA01167 Version: 1.1 Revision: 06-February-2023

Supplemental label

information

None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. "-" = Not available or this substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

Occupational Exposure Limits for constituents are listed in Section 8. The full text for all

H-statements is displayed in section 16.

- Contains : Mineral oil

DMSO Extract < 3% according to IP 346 Method.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. Get medical attention if symptoms Ingestion

occur.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

Treat symptomatically.

needed

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire. No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Foam. Dry chemicals. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.



Product: **MULTI EPO**

Code: SA01167 Version: 1.1 Revision: 06-February-2023

5.2. Special hazards arising from the substance or

mixture

See also section 10.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water

spray and remove container, if no risk is involved.

Specific methods In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Stop the flow of

material, if this is without risk.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

Local authorities should be advised if significant spillages cannot be contained. Avoid discharge into

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

To avoid thermal decomposition, do not overheat. Avoid prolonged or repeated contact with skin. Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices. Adequate ventilation should be provided so that exposure limits are not exceeded.

10 mg/m3

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in closed original container in a dry place. Store

away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

471-34-1)

Occupational exposure limits

Components	Туре	Value	Form
Calcium carbonate (CAS 471-34-1)	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Bulgaria. OELs. Regulation No	13 on protection of workers a	against risks of exposure to o	chemical agents at work
Components	Туре	Value	Form
Calcium carbonate (CAS	TWA	1 fibers/cm3	Respirable fraction.

Inhalable fraction.



 Product :
 MULTI EPO

 Code :
 SA01167

 Version :
 1.1

 Revision :
 06-February-2023

Components	Туре	Value	Form
		10 mg/m3	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	
Croatia. Dangerous Substance 13/09	Exposure Limit Values in the	Workplace (ELVs), Annexes	1 and 2, Narodne Novi
Components	Туре	Value	Form
Calcium carbonate (CAS 471-34-1)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Cyprus. OELs. Control of factor	y atmosphere and dangerous	substances in factories reg	ulation, PI 311/73, as
amended. Components	Туре	Value	
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m3	
Denmark. Exposure Limit Valu	es		
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.
54742-52-5)			
64742-52-5) Estonia. OELs. Occupational Ex	posure Limits of Hazardous S	Substances (Regulation No.	105/2001, Annex), as
64742-52-5) Estonia. OELs. Occupational Ex amended	xposure Limits of Hazardous S Type	Substances (Regulation No. Value	105/2001, Annex), as Form
54742-52-5) Estonia. OELs. Occupational Examended Components Calcium carbonate (CAS			
54742-52-5) Estonia. OELs. Occupational Examended Components Calcium carbonate (CAS	Туре	Value	Form
54742-52-5) Estonia. OELs. Occupational Examended Components Calcium carbonate (CAS 471-34-1)	Type TWA	Value 5 mg/m3	Form
54742-52-5) Estonia. OELs. Occupational Examended Components Calcium carbonate (CAS 471-34-1) Finland. Workplace Exposure L	Type TWA	Value 5 mg/m3	Form
Estonia. OELs. Occupational Examended Components Calcium carbonate (CAS 471-34-1) Finland. Workplace Exposure L Components Calcium carbonate (CAS	Type TWA	Value 5 mg/m3 10 mg/m3	Form Fine dust.
Estonia. OELs. Occupational Examended Components Calcium carbonate (CAS 471-34-1) Finland. Workplace Exposure L Components Calcium carbonate (CAS 471-34-1) Distillates (petroleum), hydrotreated heavy naphthenic (CAS 471-34-1)	Type TWA Limits Type	Value 5 mg/m3 10 mg/m3 Value	Form Fine dust. Form
54742-52-5)	Type TWA Limits Type TWA TWA	Value 5 mg/m3 10 mg/m3 Value 10 mg/m3 5 mg/m3	Form Form Dust.



 Product :
 MULTI EPO

 Code :
 SA01167

 Version :
 1.1

 Revision :
 06-February-2023

Components	Туре	Value	
Calcium carbonate (CAS 171-34-1)	TWA	6 mg/m3	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Components	Chemical Substances, Gen Type	eral Requirements Value	Form
Calcium carbonate (CAS 171-34-1)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding)			
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Components	Contaminants in the Wor Type	kplace Value	Form
		1 mg/m3	Mist.
hydrotreated heavy naphthenic (CAS	TLV	I mg/ms	
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor			
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Components Calcium carbonate (CAS	kers from exposure to che	mical agents at the workpla	ce
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of work Components Calcium carbonate (CAS 471-34-1) Distillates (petroleum), hydrotreated heavy naphthenic (CAS	kers from exposure to che Type	mical agents at the workpla Value	ce Form
hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of work Components Calcium carbonate (CAS 471-34-1) Distillates (petroleum), hydrotreated heavy haphthenic (CAS	kers from exposure to che Type TWA	mical agents at the workpla Value 10 mg/m3	ce Form
nydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of work Components Calcium carbonate (CAS 471-34-1) Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No. 30	kers from exposure to che Type TWA STEL TWA TWA O/2007 concerning protec	mical agents at the workpla Value 10 mg/m3 10 mg/m3 5 mg/m3	Form Inhalable fraction.
nydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of work Components Calcium carbonate (CAS 471-34-1) Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No. 30 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS	kers from exposure to che Type TWA STEL	mical agents at the workpla Value 10 mg/m3 10 mg/m3 5 mg/m3	Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of work Components Calcium carbonate (CAS 471-34-1) Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No. 30 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	kers from exposure to che Type TWA STEL TWA 0/2007 concerning protec Type	mical agents at the workpla Value 10 mg/m3 10 mg/m3 5 mg/m3 tion of health in work with o	re Form Inhalable fraction. Chemical agents Form



Product: **MULTI EPO**

Code: SA01167 Version: 1.1 Revision: 06-February-2023

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components **Value Form Type**

> Fume and mist. 5 ppm

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while

working (Official Gazette of the Republic of Slovenia)

Components Type Value Form TWA Inhalable fraction. Calcium carbonate (CAS 10 mg/m3 471-34-1)

> 1,25 mg/m3 Respirable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Additional exposure data Occupational Exposure Limits are not relevant to the current physical form of the product.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect

Not available.

concentrations (PNECs) **Exposure guidelines**

Occupational Exposure Limits are not relevant to the current physical form of the product.

8.2. Exposure controls

Appropriate engineering

controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection Chemical goggles are recommended.

Skin protection

- Hand protection Use protective gloves made of: Nitrile. Polyvinyl chloride (PVC).

- Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices.

Environmental exposure

controls

Odour

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Mild.

Physical state Paste. Solid. **Form** Colour Green.

Not available. Melting point/freezing point



Product: **MULTI EPO**

Code: SA01167 Version: 1.1 Revision: 06-February-2023

Boiling point or initial boiling

point and boiling range

Not available.

Flammability (solid, gas)

Not available.

Flash point

> 200,0 °C (> 392,0 °F) Open cup Base oil

Auto-ignition temperature Decomposition temperature Not available. Not available.

pН

Not applicable.

Solubility(ies)

Solubility (water) **Partition coefficient**

Insoluble.

(n-octanol/water)

Not available.

Vapour pressure Not available. Vapour density Not available. Not available. Relative density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard No relevant additional information available.

classes

9.2.2. Other safety characteristics

Oxidising properties Not oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

10.3. Possibility of hazardous

Material is stable under normal conditions.

10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

reactions

Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

Carbon oxides. Sulphur compounds.

decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Elevated temperatures or mechanical action may form vapours, mist, or fumes which may be

irritating to the eyes, nose, throat, or lungs.

Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea,

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

and diarrhoea.

Skin corrosion/irritation

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not available. Carcinogenicity



Product: MULTI EPO

Code: SA01167 Version: 1.1 Revision: 06-February-2023

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Mixture versus substance

Not an aspiration hazard.

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

information

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

(calculated) Water hazard class (WGK) [Germany]: 1.

12.3. Bioaccumulative

potential

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** No data available.

Mobility in general The product is immiscible with water and will spread on the water surface.

12.5. Results of PBT and

vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC)

No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge

disposal.

EU waste codeWaste codes should be assigned by the user based on the application for which the product was

used.

methods/information

Disposal

into drains, water courses or onto the ground.

Special precautionsDispose in accordance with all applicable regulations.

SDS EU 9/11

S

SAFETY DATA SHEET

Product: MULTI EPO

Code: SA01167 Version: 1.1 Revision: 06-February-2023

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in

Not applicable.

bulk according to IMO

instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.



Product: MULTI EPO

Code: SA01167 Version: 1.1 Revision: 06-February-2023

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety

Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Other regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information

None.

Training information

Follow training instructions when handling this material.

CONDAT cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product.